

福島県立医科大学 学術機関リポジトリ



Title	放射性同位元素研究施設(論文・著書・発表等)
Author(s)	
Citation	福島県立医科大学業績集. 31: 341-342
Issue Date	2021-03-19
URL	http://ir.fmu.ac.jp/dspace/handle/123456789/1474
Rights	©2021 福島県立医科大学
DOI	
Text Version	publisher

This document is downloaded at: 2023-05-04T23:45:52Z

研究発表等

〔研究発表〕

Kato S, Fukabori R, Nishizawa K, Okada K, Yoshioka N, Sugawara M, Maejima Y, Shimomura K, Okamoto M, Eifuku S, Kobayashi K. Intralaminar thalamic neuron plays the action selection and flexible behavioral controls. Neuroscience 2019; 20191023; Chicago, USA.

菅原正晃, 加藤成樹, 木村 慧, 井上謙一, 高田昌彦, 小林和人. 融合糖タンパク質 E 型変異体を用いた神経特異的逆行性ウイルスベクターによるマーモセット脳内への遺伝子導入効率の向上. 第 8 回マーモセット研究会; 20190206-07; 東京.

Kato S, Sugawara M, Kobayashi K. Behavioral regulation through molecular genetic manipulation of selective neural circuit. 第 42 回日本神経科学大会; 20190726; 新潟.

加藤成樹, 小林和人. 特定神経標識のための新しいベクター開発とその応用 / Development and application of new type vector for neural circuitry labeling. 第 42 回日本分子生物学会; 20191204; 福岡.

〔シンポジウム〕

Iguchi Y, Kobayashi K. Enhanced retrieval of learned emotional memory by chemogenetic activation of locus coeruleus noradrenergic neurons. Symposium: Diverse Physiological and Pathophysiological Roles in Noradrenergic Neurons; The 19th Annual Meeting of JSNP; 20191011-12; Fukuoka.

加藤成樹, 小林和人. 学習行動の獲得および行動柔軟性を司る神経回路の機能制御. 第 92 回日本薬理学会年会; 20190316; 大阪.

放射性同位元素研究施設

論文

〔原 著〕

Ogura M, Kikuchi H, Shakespear N, Suzuki T, Yamaki J, Homma MK, Oshima Y, Homma Y. Prenylated quinolinecarboxylic acid derivative prevents neuronal cell death through inhibition of MKK4. Biochemical Pharmacology. 201904; 162:109-122.

Sekimata M, Yoshida D, Araki A, Asao H, Iseki K, Murakami-Sekimata A. Runx1 and ROR γ t cooperate to upregulate IL-22 expression in Th cells through its distal enhancer. Journal of Immunology. 201906; 202(11):3198-3210.

Hayashi M, Machida T, Ishida Y, Ogata Y, Omori T, Takasumi M, Endo Y, Suzuki T, Sekimata M, Homma Y, Ikawa M, Ohira H, Fujita T, Sekine H. Cutting edge: Role of MASP-3 in the physiological activation of factor D of the alternative complement pathway. *Journal of Immunology*. 201909; 203(6):1411-1416.

Hata J, Machida T, Matsuoka K, Hoshi S, Akaihata H, Hiraki H, Suzuki T, Ogawa S, Kataoka M, Haga N, Ishibashi K, Homma Y, Sekine H, Kojima Y. Complement activation by autoantigen recognition in the growth process of benign prostatic hyperplasia. *Scientific Reports*. 201912; 9(1):20357.

研究発表等

〔研究発表〕

関亦明子, 推名祐美, 牧野貴大, 関亦正幸. マウス胎児顎下腺(ME-SMG)上皮細胞の無血清培養の試みにおける増殖因子と低分子化合物の検索. 第42回日本分子生物学会年会; 20191203-06; 福岡.

実験動物研究施設

論文

〔原 著〕

Kamitani T, Yamamoto Y, Fukuma S, Ikemoue T, Kimachi M, Shimizu S, Tamamoto S, Otani K, Sekiguchi M, Onishi Y, Takegami M, Ono R, Tamazaki S, Konno S, Kikuchi S, Fukuhara S. Association Between the Discrepancy in Self-Reported and Performance-Based Physical Functioning Levels and Risk of Future Falls Among Community-Dwelling Older Adults: The Locomotive Syndrome and Health Outcomes in Aizu Cohort Study (LOHAS). *Journal of the American Medical Directors Association*. 201902; 20(2):195-200.e.1.

Wada E, Fukui M, Takahashi K, Takeuchi D, Hashizume H, Kanamori M, Hosono N, Kanchiku T, Kasai Y, Sekiguchi M, Konno S, Kawakami M, Yonenobu K. Japanese orthopaedic association cervical myelopathy evaluation questionnaire (JOACMEQ): Part 5. Determination of responsiveness. *Journal of Orthopaedic Science*. 201901; 24(1):57-61.

Kobayashi H, Sekiguchi M, Yonemoto K, Kakuma T, Tomonaga T, Kato K, Watanabe K, Nikaido T, Otani K, Yabuki S, Kikuchi S, Konno S. Reference values of the Japanese Orthopaedic Association Back Pain Evaluation Questionnaire in patients with lumbar spinal stenosis and characteristics of deterioration of QOL: Lumbar Spinal stenosis diagnosis support tool: DISTO project. *Journal of Orthopaedic Science*. 201907; 24(4):584-589.

Kimachi K, Kimachi M, Takegami M, Ono R, Yamazaki S, Goto Y, Onichi Y, Sekiguchi M, Otani K, Konno S, Kikuchi S, Fukuhara S, Yamamoto Y. Level of low back pain-related disability is associated with risk of subsequent falls in an older population: Locomotive syndrome and health outcome in Aizu Cohort Study